

# WHAT IS MEANT BY A BALANCED POOL?



**PLASTIPACK LIMITED** <sup>TM</sup>

© Plastipack Ltd



# WHAT IS MEANT BY A BALANCED POOL?

Almost all issues relating to the premature degradation of a swimming pool cover or swimming pool equipment can be traced back to incorrect chemical levels within the swimming pool.

- A well-balanced pool will ensure the optimal lifespan for the swimming pool cover material. The cover should be removed when shock dosing (super chlorinating) the pool to avoid premature degradation and only replaced over the water once the pool has been restored to balance and is within the industry standards for a safe and healthy swimming pool.
- By keeping the pool water within these parameters, the swimming pool cover material will meet or even exceed its expected lifespan.

Chemical Balance Summary	
Substance	Ideal range
Salt	2500 - 4000
Stabiliser	Depends on chlorine demand and type
Free chlorine	2.0 - 4.0ppm
Combined chlorine	<0.2ppm
Total chlorine	TC = FC + CC
Total bromine	4.0 - 6.0
pH	7.2 - 7.8pH
Total Alkalinity	80 - 120ppm
Calcium hardness	150 - 400ppm
Total dissolved solids	<2000ppm
Phosphate	As little as possible
Heavy metals	As little as possible



**PLASTIPACK LIMITED**<sup>TM</sup>  
© Plastipack Ltd

**Manufactures of Energy and Resource Saving Products**

**Manufacturer**

[www.Plastipack.co.uk](http://www.Plastipack.co.uk)

**Product Information**

[www.GeoBubble.co.uk](http://www.GeoBubble.co.uk)

**Water Storage**

[www.VapourGuard.com](http://www.VapourGuard.com)

Wainwright House, 4 Wainwright close, Churchfields Industrial Estate, St Leonards-on-sea, TN38 9PP UK

**t:** +44 (0) 1424 851 659

**f:** +44 (0) 1424 853 909

**e:** [Info@Plastipack.co.uk](mailto:Info@Plastipack.co.uk)